

Eurotunnel's dangerous goods guide 2023



Contents

I – Introduction to Eurotunnel’s dangerous goods policy

II – Definition of terms used

III – List of dangerous goods accepted

| | |
|------------|---|
| Class 1: | Explosive substances and articles |
| Class 2: | Gases: compressed, liquefied or dissolved under pressure |
| Class 3: | Flammable liquids |
| Class 4.1: | Flammable solids |
| Class 4.2: | Substances liable to spontaneous combustion |
| Class 4.3: | Substances, which in contact with water, emit flammable gases |
| Class 5.1: | Oxidizing substances |
| Class 5.2: | Organic peroxides |
| Class 6.1: | Toxic substances |
| Class 6.2: | Infectious substances |
| Class 7: | Radioactive materials |
| Class 8: | Corrosive substances |
| Class 9: | Miscellaneous dangerous substances and articles |

IV – What to do on arrival at the Freight Terminal

V – Eurotunnel contact details

I – Introduction to Eurotunnel's dangerous goods policy

The Channel Tunnel has been designed to be one of the safest transport systems known to date.

Eurotunnel's dangerous goods policy is therefore intended to ensure the safety of its customers and staff, and the integrity of the Tunnel. This policy has been produced in close collaboration with industry and with relevant trade and professional bodies.

The carriage of dangerous goods through the Channel Tunnel must comply with ADR (Agreement concerning the International Carriage of Dangerous Goods by Road). Dangerous goods definitions are subject to the current revision of the ADR regulations and Eurotunnel Freight will accept, restrict or refuse goods on the basis of these definitions.

This dangerous goods policy has been decreed by a By-Law in the UK and an Arrêté Ministériel in France and forms an integral part of Eurotunnel's Conditions of Carriage. The carriage of dangerous goods must also comply with Eurotunnel's own regulations as described on this website, which are more stringent than those in ADR, to reflect the specific safety characteristics of the Channel Tunnel infrastructure. The carrier is responsible for ensuring that the goods being transported comply with these regulations.

Declarations must be made using the current revision of ADR applicable at the time of travel, in one of the official languages of ADR – English, French or German. Furthermore, it is also the carrier's responsibility to provide the compulsory documentation, including for vehicles travelling under the provisions of ADR chapter 1.1.3.6. Dangerous goods being carried under the ADR Limited Quantity, Excepted Quantity or any other Special Provisions, which do not need documentation, do not need to be declared at Check-in. However, if these goods are declared, a full ADR declaration must be provided.

Eurotunnel Freight reserves the right to authorise or refuse carriage of dangerous goods via Eurotunnel Freight, irrespective of their type, origin and / or destination.

The Channel Tunnel has been designed to be one of the safest transport systems known to date.

II – Definition of terms used

Some of the specific terminology and expressions used in the Eurotunnel Freight dangerous goods policy are defined below.

Transport unit

A transport unit is:

- a lorry or a trailer;
- a container or swap body;

A lorry with a coupled trailer represents two units of transport.

In the case of a lorry with trailer, carrying two containers, then each container represents a separate transport unit.

Wherever the term “transport unit” is used in this document, it shall be construed as a “transport unit” as defined above.

Unit package:

The maximum volume of a particular product carried in one receptacle for transit through the Channel Tunnel.

Quantities:

The quantities of goods are divided into three categories:

* ***Carried with no restriction on quantity***

* ***Carried subject to restriction on quantity:***

- **Product may be carried but maximum unit package size is restricted:**

- No restriction on the quantity carried per unit of transport but must be in unit packages of
- 250 litres
 - 400 kg
 - 1000 litres (for gases with a Classification Code of 1O or 2O).

- **Maximum quantity per transport unit:**

Carriage is only permitted on the premise that the maximum quantity per transport unit is not exceeded. The number of packages and their volume is unrestricted provided that their overall volume or weight does not exceed the limit of the relevant class for each transport unit, as shown in the list of dangerous goods accepted.

If several products of the same class in any one transport unit fall into the same category, the sum of all their quantities must not exceed the limit of the relevant class for each transport unit.

- **Other maximum quantities allowed:**

The authorised limit is the net weight per transport unit unless otherwise indicated.

* ***Not permitted / prohibited***

It should be noted that this document only describes those substances accepted for carriage, with or without restrictions (see section III of this guide). Other goods classified as dangerous under ADR are not accepted for transit via Eurotunnel Freight.

Empty Containers / Empty uncleaned:

Eurotunnel Freight will accept, without restriction, the carriage of empty containers, which would have been accepted when full. Containers, which would not have been accepted for carriage when full, must be cleaned and an “ad-hoc” certificate to this effect submitted before carriage can be authorised.

III – List of dangerous goods accepted

The following list details those dangerous goods authorised for transit via Eurotunnel Freight by their ADR Class, UN Number and packing group. Restrictions are stated where applicable.

Dangerous goods that have two or more danger labels (labels 1 to 9) are not authorised for transit via Eurotunnel Freight, with the exception of the goods specified under Class 2. Further exceptions may be made for goods named in this guide that pose a secondary hazard derived from their method of packaging. This is the case for UN 3291 and UN 3245, which are accepted when packed in refrigerated liquid nitrogen.

Please note that dangerous goods that do not appear in this list are not authorised for transit via Eurotunnel Freight.

However, goods that are not subject to ADR are also not included in this list but are authorised for transit via Eurotunnel Freight. This includes but is not limited to products such as straw (UN 1327) and dry ice (UN 1845), goods packed in limited or excepted quantities in accordance with ADR Chapters 3.4 and 3.5 and goods being transported under certain Special Provisions e.g. SP188.

ADR – Class 1: Explosive substances and articles

Substances and articles of Class 1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction |
|-----------|---------------|---------------------|--|
| 0012 | n/a | 1.4S | Quantity accepted for carriage restricted to 15kg of net explosive substance per transport unit Net = not including packaging |
| 0014 | | | |
| 0044 | | | |
| 0055 | | | |
| 0070 | | | |
| 0105 | | | |
| 0110 | | | |
| 0131 | | | |
| 0173 | | | |
| 0174 | | | |
| 0193 | | | |
| 0323 | | | |
| 0337 | | | |
| 0345 | | | |
| 0349 | | | |
| 0366 | | | |
| 0367 | | | |
| 0368 | | | |
| 0373 | | | |
| 0376 | | | |
| 0384 | | | |
| 0404 | | | |
| 0405 | | | |
| 0432 | | | |
| 0441 | | | |
| 0445 | | | |
| 0454 | | | |
| 0455 | | | |
| 0456 | | | |
| 0460 | | | |
| 0500 | | | |
| 0506 | | | |
| 0507 | | | |
| 0513 | | | |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 2: Gases: compressed, liquefied or dissolved under pressure

Gases of Class 2 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight, except gases whose Classification Code is 1O, 2O or 5O and in the case of UN 1950 also 5C or 5T (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction |
|-----------|---------------|---------------------|---|
| 1002 | n/a | 1A | No restriction |
| 1006 | | | |
| 1009 | | | |
| 1013 | | | |
| 1018 | | | |
| 1020 | | | |
| 1021 | | | |
| 1022 | | | |
| 1028 | | | |
| 1029 | | | |
| 1044 | | 6A | |
| 1046 | | 1A | |
| 1056 | | | |
| 1057 | | 6F | Quantity accepted for carriage restricted to a maximum of 1500kg gross weight per transport unit |
| 1058 | | 2A | No restriction |
| 1065 | | 1A | |
| 1066 | | | |
| 1070 | | 2O | No restriction on the quantity carried but transport must be in pressure receptacles of 1000 litres maximum |
| 1072 | | 1O | |
| 1078 | | | No restriction |
| 1080 | | 2A | |
| 1858 | | | |
| 1913 | | 3A | |
| 1950 | | 5A | Quantity accepted for carriage restricted to a maximum of 1500kg gross weight per transport unit |
| 1950 | | 5C | |
| 1950 | | 5F | |
| 1950 | | 5O | |
| 1950 | | 5T | |
| 1951 | | 3A | No restriction |
| 1952 | | 2A | |
| 1956 | | 1A | |
| 1958 | | 2A | |
| 1963 | 3A | | |
| 1968 | 2A | | |
| 1970 | 3A | | |
| 1973 | | | |
| 1974 | 2A | | |
| 1976 | | | |
| 1977 | 3A | | |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 2: Gases: compressed, liquefied or dissolved under pressure

Gases of Class 2 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight, except gases whose Classification Code is 1O, 2O or 5O and in the case of UN 1950 also 5C or 5T (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction | |
|-----------|---------------|---------------------|---|--|
| 1982 | n/a | 2A | No restriction | |
| 1983 | | | | |
| 1984 | | | | |
| 2036 | | | | |
| 2037 | | 5A | Quantity accepted for carriage restricted to a maximum of 1500kg gross weight per transport unit | |
| 2037 | | 5F | | |
| 2037 | | 5O | | |
| 2037 | | 5T | | |
| 2187 | | 3A | No restriction | |
| 2193 | | | | |
| 2422 | | 2A | | |
| 2424 | | | | |
| 2451 | | 2O | No restriction on the quantity carried but transport must be in pressure receptacles of 1000 litres maximum | |
| 2591 | | 3A | No restriction | |
| 2599 | | 2A | | |
| 2602 | | | | |
| 2857 | | 6A | | |
| 3070 | | 2A | | |
| 3136 | | 3A | | |
| 3150 | | 6F | | Quantity accepted for carriage restricted to a maximum of 1500kg gross weight per transport unit |
| 3156 | | 1O | No restriction on the quantity carried but transport must be in pressure receptacles of 1000 litres maximum | |
| 3157 | | 2O | | |
| 3158 | | 3A | No restriction | |
| 3159 | | 2A | | |
| 3163 | | 2A | | |
| 3164 | | 6A | | |
| 3167 | | 7F | | |
| 3169 | | 7T | | |
| 3220 | | 2A | | No restriction |
| 3296 | | | | |
| 3297 | | | | |
| 3298 | | | | |
| 3299 | | | | |
| 3337 | | | | |
| 3338 | | | | |
| 3339 | | | | |
| 3340 | | | | |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 2: Gases: compressed, liquefied or dissolved under pressure

Gases of Class 2 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight, except gases whose Classification Code is 1O, 2O or 5O and in the case of UN 1950 also 5C or 5T (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction |
|-----------|---------------|---------------------|---|
| 3478 | n/a | 6F | Quantity accepted for carriage restricted to a maximum of 1500kg gross weight per transport unit |
| 3479 | | | |
| 3500 | | 8A | No restriction |
| 3511 | | 9A | |
| 3513 | | 9O | No restriction on the quantity carried but transport must be in pressure receptacles of 1000 litres maximum |
| 3529 | | 6F | Quantity accepted for carriage restricted to a maximum of 1500kg gross weight per transport unit |
| 3537 | | | |
| 3538 | | 6A | No restriction |
| 3539 | | 6T | Quantity accepted for carriage restricted to a maximum of 1500kg gross weight per transport unit |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 3: Flammable liquids

Substances of Class 3 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction |
|-----------|---------------|---------------------|---|
| 1088 | II | F1 | Quantity accepted for carriage restricted to unit packages with a maximum capacity of 250 litres and up to a maximum of 250 litres per transport unit |
| 1090 | | | |
| 1091 | | | |
| 1104 | III | | |
| 1105 | II | | |
| 1105 | III | | |
| 1107 | II | | |
| 1109 | III | | |
| 1110 | | | |
| 1111 | II | | |
| 1112 | III | | |
| 1113 | II | | |
| 1114 | | | |
| 1120 | | | |
| 1120 | III | | |
| 1123 | II | | |
| 1123 | III | | |
| 1126 | II | | |
| 1127 | | | |
| 1128 | | | |
| 1129 | | | |
| 1130 | III | | |
| 1133 | II | | |
| 1133 | III | | |
| 1134 | | | |
| 1136 | II | | |
| 1136 | III | | |
| 1139 | II | | |
| 1139 | III | | |
| 1145 | II | | |
| 1146 | | | |
| 1147 | III | | |
| 1148 | II | | |
| 1148 | III | | |
| 1149 | | | |
| 1150 | II | | |
| 1152 | III | | |
| 1153 | II | | |
| 1153 | III | | |
| 1156 | II | | |
| 1157 | III | | |
| 1159 | II | | |
| 1161 | | | |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 3: Flammable liquids

Substances of Class 3 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction |
|-----------|---------------|---------------------|---|
| 1164 | II | F1 | Quantity accepted for carriage restricted to unit packages with a maximum capacity of 250 litres and up to a maximum of 250 litres per transport unit |
| 1165 | | | |
| 1166 | | | |
| 1170 | | | |
| 1170 | III | | |
| 1171 | | | |
| 1172 | | | |
| 1173 | II | | |
| 1175 | | | |
| 1176 | III | | |
| 1177 | II | | |
| 1178 | | | |
| 1179 | III | | |
| 1180 | | | |
| 1188 | | | |
| 1189 | II | | |
| 1190 | III | | |
| 1191 | | | |
| 1192 | II | | |
| 1193 | | | |
| 1195 | | | |
| 1197 | III | | |
| 1197 | II | | |
| 1201 | III | | |
| 1201 | | | |
| 1202 | II | | |
| 1203 | | | |
| 1204 | D | | |
| 1206 | III | | |
| 1207 | | | |
| 1208 | II | | |
| 1210 | | | |
| 1210 | III | | |
| 1212 | | | |
| 1213 | II | | |
| 1216 | | | |
| 1219 | | | |
| 1220 | | | |
| 1222 | | | |
| 1223 | | | |
| 1223 | III | | |
| 1224 | II | | |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 3: Flammable liquids

Substances of Class 3 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction |
|-----------|---------------|---------------------|---|
| 1224 | III | F1 | Quantity accepted for carriage restricted to unit packages with a maximum capacity of 250 litres and up to a maximum of 250 litres per transport unit |
| 1229 | | | |
| 1231 | II | | |
| 1233 | III | | |
| 1234 | II | | |
| 1237 | | | |
| 1245 | | | |
| 1246 | | | |
| 1247 | | | |
| 1248 | | | |
| 1249 | | | |
| 1261 | | | |
| 1262 | | | |
| 1263 | | | |
| 1263 | III | | |
| 1264 | | | |
| 1265 | II | | |
| 1266 | III | | |
| 1267 | II | | |
| 1267 | III | | |
| 1268 | II | | |
| 1268 | III | | |
| 1272 | | | |
| 1274 | II | | |
| 1274 | III | | |
| 1275 | II | | |
| 1276 | | | |
| 1278 | | | |
| 1279 | | | |
| 1281 | | | |
| 1282 | | | |
| 1286 | | | |
| 1286 | III | | |
| 1287 | II | | |
| 1287 | III | | |
| 1288 | II | | |
| 1288 | III | | |
| 1292 | | | |
| 1293 | II | | |
| 1293 | III | | |
| 1294 | II | | |
| 1299 | III | | |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 3: Flammable liquids

Substances of Class 3 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction |
|-----------|---------------|---------------------|---|
| 1300 | II | F1 | Quantity accepted for carriage restricted to unit packages with a maximum capacity of 250 litres and up to a maximum of 250 litres per transport unit |
| 1300 | III | | |
| 1301 | II | | |
| 1304 | | | |
| 1306 | III | | |
| 1306 | | | |
| 1307 | II | | |
| 1307 | III | | |
| 1308 | II | | |
| 1308 | III | | |
| 1648 | II | | |
| 1862 | | | |
| 1863 | | | |
| 1863 | III | | |
| 1865 | II | | |
| 1866 | | | |
| 1866 | III | | |
| 1914 | | | |
| 1915 | II | | |
| 1917 | | | |
| 1918 | III | | |
| 1919 | II | | |
| 1920 | III | | |
| 1987 | II | | |
| 1987 | III | | |
| 1989 | II | | |
| 1989 | III | | |
| 1993 | II | | |
| 1993 | III | | |
| 1999 | II | | |
| 1999 | III | | |
| 2045 | II | | |
| 2046 | III | | |
| 2047 | II | | |
| 2047 | III | | |
| 2048 | | | |
| 2049 | | | |
| 2050 | II | | |
| 2052 | III | | |
| 2053 | | | |
| 2055 | | | |
| 2056 | II | | |
| 2057 | | | |
| 2057 | III | | |
| 2058 | II | | |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 3: Flammable liquids

Substances of Class 3 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction |
|-----------|---------------|---------------------|---|
| 2059 | II | D | Quantity accepted for carriage restricted to unit packages with a maximum capacity of 250 litres and up to a maximum of 250 litres per transport unit |
| 2059 | III | | |
| 2219 | | | |
| 2222 | | | |
| 2227 | | | |
| 2234 | | | |
| 2238 | | | |
| 2241 | | II | |
| 2242 | III | | |
| 2243 | | | |
| 2244 | | | |
| 2245 | II | | |
| 2246 | III | | |
| 2247 | II | | |
| 2251 | | | |
| 2252 | | | |
| 2256 | | | |
| 2263 | | | |
| 2265 | III | | |
| 2271 | | | |
| 2275 | | | |
| 2277 | II | | |
| 2278 | III | | |
| 2282 | | | |
| 2283 | | | |
| 2286 | | | |
| 2287 | II | | |
| 2288 | III | | |
| 2293 | II | | |
| 2296 | III | | |
| 2297 | II | | |
| 2298 | | | |
| 2301 | III | | |
| 2302 | | | |
| 2303 | | | |
| 2309 | II | | |
| 2313 | III | | |
| 2319 | | | |
| 2323 | | | |
| 2324 | | | |
| 2325 | | | |
| 2329 | | | |
| 2330 | | | |
| 2332 | | | |
| 2338 | II | | |
| 2339 | | | |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 3: Flammable liquids

Substances of Class 3 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction |
|-----------|---------------|---------------------|---|
| 2340 | II | F1 | Quantity accepted for carriage restricted to unit packages with a maximum capacity of 250 litres and up to a maximum of 250 litres per transport unit |
| 2341 | III | | |
| 2342 | II | | |
| 2343 | | | |
| 2344 | III | | |
| 2344 | | | |
| 2345 | II | | |
| 2346 | | | |
| 2347 | | | |
| 2348 | III | | |
| 2350 | II | | |
| 2351 | | | |
| 2351 | III | | |
| 2352 | II | | |
| 2358 | | | |
| 2362 | | | |
| 2364 | III | | |
| 2366 | | | |
| 2367 | II | | |
| 2368 | III | | |
| 2370 | II | | |
| 2372 | | | |
| 2373 | | | |
| 2374 | | | |
| 2375 | | | |
| 2376 | | | |
| 2377 | | | |
| 2380 | | | |
| 2384 | | | |
| 2385 | | | |
| 2387 | | | |
| 2388 | | | |
| 2390 | | | |
| 2391 | | | |
| 2392 | | | |
| 2393 | II | | |
| 2394 | III | | |
| 2397 | II | | |
| 2398 | | | |
| 2400 | | | |
| 2402 | | | |
| 2403 | III | | |
| 2405 | | | |
| 2406 | | | |
| 2409 | II | | |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 3: Flammable liquids

Substances of Class 3 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction |
|-----------|---------------|---------------------|---|
| 2410 | II | F1 | Quantity accepted for carriage restricted to unit packages with a maximum capacity of 250 litres and up to a maximum of 250 litres per transport unit |
| 2412 | | | |
| 2413 | | | |
| 2414 | II | | |
| 2416 | | | |
| 2436 | | | |
| 2457 | | | |
| 2458 | | | |
| 2460 | | | |
| 2461 | | | |
| 2498 | | | |
| 2514 | | | |
| 2520 | | | |
| 2524 | | | |
| 2527 | | | |
| 2528 | | | |
| 2536 | II | | |
| 2541 | III | | |
| 2554 | II | | |
| 2560 | III | | |
| 2607 | | | |
| 2608 | | | |
| 2612 | II | | |
| 2614 | III | | |
| 2615 | II | | |
| 2616 | III | | |
| 2616 | | | |
| 2617 | | | |
| 2618 | | | |
| 2620 | | | |
| 2621 | | | |
| 2707 | II | | |
| 2707 | III | | |
| 2709 | | | |
| 2710 | | | |
| 2752 | | | |
| 2838 | II | | |
| 2840 | III | | |
| 2842 | | | |
| 2850 | | | |
| 2933 | | | |
| 2934 | | | |
| 2935 | | | |
| 2943 | | | |
| 2947 | | | |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 3: Flammable liquids

Substances of Class 3 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction |
|-----------|---------------|---------------------|---|
| 3022 | II | F1 | Quantity accepted for carriage restricted to unit packages with a maximum capacity of 250 litres and up to a maximum of 250 litres per transport unit |
| 3054 | III | | |
| 3056 | | | |
| 3065 | II | | |
| 3065 | III | | |
| 3092 | | | |
| 3269 | II | F3 | |
| 3269 | III | F1 | |
| 3271 | II | | |
| 3271 | III | | |
| 3272 | II | | |
| 3272 | III | | |
| 3295 | II | | |
| 3295 | III | | |
| 3336 | II | | |
| 3336 | III | | |
| 3371 | II | | |
| 3473 | n/a | F3 | |
| 3475 | II | F1 | |
| 3528 | n/a | F3 | |
| 3540 | | | |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 4.1: Flammable solids

Substances of Class 4.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction | |
|-----------|---------------|---|---|----|
| 1309 | II | F3 | No restriction | |
| 1309 | III | F1 | | |
| 1312 | | F3 | | |
| 1313 | | F1 | | |
| 1314 | | | | |
| 1318 | | | | |
| 1323 | II | F3 | | |
| 1324 | III | F1 | | |
| 1325 | II | | | |
| 1325 | III | F3 | | |
| 1326 | II | F1 | | |
| 1328 | III | F3 | | |
| 1330 | | F1 | | |
| 1331 | | F3 | | |
| 1332 | | F1 | | |
| 1333 | II | F3 | | |
| 1334 | III | F1 | | |
| 1338 | II | F3 | Quantity accepted for carriage restricted to a maximum of 8t per transport unit | |
| 1339 | | | | |
| 1341 | | F1 | No restriction | |
| 1343 | | | | |
| 1345 | III | F3 | Quantity accepted for carriage restricted to a maximum of 8t per transport unit | |
| 1346 | III | F1 | No restriction | |
| 1350 | | | | F3 |
| 1352 | | II | No restriction | |
| 1353 | | III | | |
| 1358 | | II | | |
| 1869 | | III | | F3 |
| 1944 | | | | F1 |
| 1945 | | | | F3 |
| 2000 | | | | F1 |
| 2001 | | III | | F3 |
| 2213 | F1 | | | |
| 2254 | | | | |
| 2538 | | | | |
| 2623 | F3 | | | |
| 2687 | | Quantity accepted for carriage restricted to a maximum of 8t per transport unit | | |
| 2714 | III | F1 | No restriction | |
| 2715 | | | | |
| 2717 | | F3 | | |
| 2858 | | F1 | | |
| 2878 | | F3 | | |
| 2956 | | SR1 | | |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 4.1: Flammable solids

Substances of Class 4.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction |
|-----------|---------------|---------------------|--|
| 2989 | II | F3 | Quantity accepted for carriage restricted to a maximum of 8t per transport unit |
| 2989 | III | | |
| 3089 | II | | No restriction |
| 3089 | III | | |
| 3178 | II | | Quantity accepted for carriage restricted to a maximum of 8t per transport unit |
| 3178 | III | | |
| 3181 | II | | No restriction |
| 3181 | III | | |
| 3182 | | | |
| 3241 | | | |
| 3242 | II | SR1 | Quantity accepted for carriage restricted to a maximum of 400kg per transport unit |
| 3251 | III | F1 | No restriction |
| 3270 | II | | |
| 3527 | II | F4 | |
| | III | | |
| 3541 | n/a | | |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 4.2: Substances liable to spontaneous combustion

No substances of this Class will be accepted for carriage
via Eurotunnel Freight.

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight
(see section III of this guide)

ADR – Class 4.3: Substances which in contact with water emit flammable gases

No substances of this Class will be accepted for carriage via Eurotunnel Freight.

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 5.1: Oxidizing substances

Substances of Class 5.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction |
|-----------|---------------|---|---|
| 1438 | III | O2 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 1444 | | | |
| 1450 | II | | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 1451 | III | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 1452 | II | | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 1454 | III | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 1455 | II | | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 1456 | | | |
| 1457 | | | |
| 1458 | | | |
| 1458 | III | | |
| 1459 | II | | |
| 1459 | III | | |
| 1461 | II | | |
| 1465 | III | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 1466 | | | |
| 1467 | | | |
| 1471 | II | | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 1471 | III | | |
| 1472 | II | | |
| 1473 | | | |
| 1474 | III | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 1475 | II | | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 1476 | | | |
| 1477 | | | |
| 1477 | III | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum | |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 5.1: Oxidizing substances

Substances of Class 5.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction |
|-----------|---------------|---------------------|---|
| 1479 | II | O2 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 1479 | III | | |
| 1481 | II | | |
| 1481 | III | | |
| 1482 | II | | |
| 1482 | III | | |
| 1483 | II | | |
| 1483 | III | | |
| 1484 | II | | |
| 1485 | | | |
| 1486 | III | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 1487 | II | | Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 1488 | | | |
| 1489 | | | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 1490 | | | |
| 1492 | III | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 1493 | II | | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 1494 | | | |
| 1495 | | | |
| 1498 | III | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 1499 | | | |
| 1502 | II | | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 1503 | | | |
| 1505 | III | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 1506 | II | | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 1507 | III | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 5.1: Oxidizing substances

Substances of Class 5.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction |
|-----------|---------------|---------------------|---|
| 1508 | II | O2 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 1509 | | | |
| 1512 | | | Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 1513 | | | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 1514 | | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 1515 | | | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 1516 | | | |
| 1748 | | | |
| 1748 | | | |
| 2208 | | | |
| 2427 | II | | |
| 2427 | III | | |
| 2428 | II | | |
| 2428 | III | | |
| 2429 | II | | |
| 2429 | III | | |
| 2465 | II | O1 | Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 2468 | | | |
| 2469 | III | | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 2627 | II | | Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 2720 | III | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 2721 | II | | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 2722 | III | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 5.1: Oxidizing substances

Substances of Class 5.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction |
|-----------|---------------|---------------------|---|
| 2723 | II | O2 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 2724 | III | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 2725 | | | Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 2726 | | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 2728 | | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 2880 | II | O1 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 2880 | III | | |
| 3139 | II | | |
| 3210 | III | | |
| 3210 | II | | |
| 3211 | III | | |
| 3211 | II | | |
| 3212 | III | | |
| 3213 | II | | |
| 3213 | III | | |
| 3214 | II | O2 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 3215 | III | O1 | |
| 3216 | II | O1 | |
| 3218 | III | | |
| 3218 | II | | |
| 3219 | III | O2 | Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 3219 | II | O2 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 3247 | n/a | O3 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 3356 | III | O2 | |
| 3377 | II | O2 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 3378 | III | | |
| 3378 | II | O1 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 3407 | III | O3 | |
| 3407 | n/a | O2 | |
| 3544 | n/a | O3 | |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 5.2: Organic peroxides

No substances or articles of this Class will be accepted for carriage
via Eurotunnel Freight.

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight
(see section III of this guide)

ADR – Class 6.1: Toxic substances

Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction |
|-----------|---------------|---------------------|---|
| 1544 | II | T2 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 1544 | III | | No restriction |
| 1547 | II | T1 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 1548 | III | T2 | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 1549 | | T5 | No restriction |
| 1550 | | | |
| 1551 | | | |
| 1564 | II | | |
| 1564 | III | | No restriction |
| 1577 | II | T1 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 1578 | | T2 | |
| 1579 | | | |
| 1583 | II | | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 1583 | III | | No restriction |
| 1590 | II | | T1 |
| 1591 | III | | No restriction |
| 1593 | | | |
| 1594 | II | | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 1596 | | T2 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 1597 | | T1 | |
| 1597 | III | | |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 6.1: Toxic substances

Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction | |
|-----------|---------------|---------------------|---|--|
| 1598 | II | T2 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum | |
| 1599 | | T1 | | |
| 1599 | III | | | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 1601 | II | T2 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum | |
| 1601 | III | | | No restriction |
| 1602 | II | T1 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum | |
| 1602 | III | | | No restriction |
| 1611 | II | | | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 1616 | III | T5 | No restriction | |
| 1650 | II | T2 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum | |
| 1651 | | | | |
| 1652 | | T1 | | |
| 1654 | | | | |
| 1655 | | T2 | | No restriction |
| 1655 | III | | | |
| 1656 | II | T1 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum | |
| 1656 | III | | | No restriction |
| 1657 | II | T2 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum | |
| 1658 | | T1 | | |
| 1658 | | | | III |
| 1659 | II | T2 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum | |
| 1661 | | | | |
| 1662 | | T1 | | |
| 1663 | III | T2 | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded | |
| 1664 | II | T1 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum | |
| 1665 | | | | |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 6.1: Toxic substances

Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction | |
|-----------|---------------|---------------------|---|---|
| 1669 | II | T1 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum | |
| 1671 | | | | |
| 1673 | III | T2 | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded | |
| 1690 | | T5 | No restriction | |
| 1693 | II | T1 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum | |
| 1697 | | T2 | | |
| 1701 | | T1 | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 1702 | | | | |
| 1704 | | | | |
| 1708 | | | | |
| 1709 | III | T2 | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded | |
| 1710 | | | No restriction | |
| 1711 | II | T1 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum | |
| 1812 | III | T5 | No restriction | |
| 1843 | II | T2 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum | |
| 1846 | | T1 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum | |
| 1851 | | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum | |
| 1851 | | III | | No restriction |
| 1884 | T5 | | | |
| 1885 | II | T2 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum | |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 6.1: Toxic substances

Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction |
|-----------|---------------|---------------------|---|
| 1886 | II | T1 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 1887 | III | | No restriction |
| 1888 | | | |
| 1897 | | | |
| 2016 | n/a | T2 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 2018 | II | T1 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 2019 | | | |
| 2020 | III | T2 | No restriction |
| 2021 | | | |
| 2038 | II | T1 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 2074 | III | T2 | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 2075 | II | T1 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 2077 | III | T2 | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 2078 | II | T1 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 2205 | III | | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 2206 | II | | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 2206 | III | | No restriction |
| 2224 | II | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 6.1: Toxic substances

Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction |
|-----------|---------------|---------------------|---|
| 2233 | III | T2 | No restriction |
| 2235 | | | |
| 2236 | II | T1 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 2237 | III | T2 | No restriction |
| 2239 | | | |
| 2250 | II | T2 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 2253 | | T1 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 2261 | | T2 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 2272 | III | T1 | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 2273 | | | |
| 2274 | | | |
| 2279 | | | |
| 2281 | II | T1 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 2290 | III | T5 | No restriction |
| 2291 | | | |
| 2294 | III | T1 | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 2299 | | | |
| 2300 | | | |
| 2306 | II | T1 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 2307 | | | |
| 2311 | III | T1 | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 2321 | | | |
| 2322 | II | T1 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 2328 | III | T1 | No restriction |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 6.1: Toxic substances

Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction |
|-----------|---------------|---------------------|---|
| 2431 | III | T1 | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 2432 | | | |
| 2433 | | | No restriction |
| 2446 | | T2 | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 2470 | II | T1 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 2490 | | | |
| 2501 | | | No restriction |
| 2501 | | | |
| 2504 | III | T5 | |
| 2505 | | | |
| 2512 | | T2 | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 2515 | | T1 | |
| 2516 | | T2 | No restriction |
| 2518 | | | |
| 2522 | II | T1 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 2525 | III | | No restriction |
| 2533 | | | |
| 2542 | II | T2 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 2552 | | | |
| 2567 | | | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 2570 | | III | T5 |
| 2572 | II | T1 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 2574 | | | |
| 2587 | | T2 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 2588 | | | T7 |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 6.1: Toxic substances

Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction |
|-----------|---------------|---------------------|---|
| 2588 | III | T7 | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 2609 | | | No restriction |
| 2643 | II | T1 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 2645 | | | |
| 2647 | | T2 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 2648 | | T1 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 2649 | | T2 | |
| 2650 | | T1 | |
| 2651 | | III | T2 |
| 2653 | II | T1 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 2655 | III | T5 | No restriction |
| 2656 | | T1 | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 2659 | | | No restriction |
| 2660 | | T2 | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 2661 | | | No restriction |
| 2664 | | | |
| 2667 | | | |
| 2669 | | II | T1 |
| 2669 | III | | No restriction |
| 2671 | II | T2 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 2673 | | | |
| 2674 | III | T5 | No restriction |
| 2688 | | | |
| 2689 | | | |
| 2690 | II | T1 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 6.1: Toxic substances

Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction |
|-----------|---------------|---|---|
| 2713 | III | T2 | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 2716 | | | No restriction |
| 2729 | | T1 | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 2730 | | | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 2732 | | | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 2738 | II | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 2747 | III | | No restriction |
| 2750 | II | | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 2753 | III | | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 2754 | II | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 2757 | | | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 2757 | III | | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 2759 | II | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum | |
| 2759 | III | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded | |
| 2761 | II | T7 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 2761 | III | | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 2763 | II | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 2763 | III | | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 6.1: Toxic substances

Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction | |
|-----------|---------------|---------------------|---|---|
| 2771 | II | T7 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum | |
| 2771 | III | | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded | |
| 2775 | II | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum | |
| 2775 | III | | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded | |
| 2777 | II | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum | |
| 2777 | III | | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded | |
| 2779 | II | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum | |
| 2779 | III | | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded | |
| 2781 | II | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum | |
| 2781 | III | | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded | |
| 2783 | II | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum | |
| 2783 | III | | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded | |
| 2785 | | | T1 | No restriction |
| 2786 | II | | T7 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 6.1: Toxic substances

Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction | |
|-----------|---------------|---|---|----------------|
| 2786 | III | T7 | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded | |
| 2788 | II | T3 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum | |
| 2788 | III | | No restriction | |
| 2810 | II | T1 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum | |
| 2810 | III | | No restriction | |
| 2811 | II | T2 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum | |
| 2811 | III | | No restriction | |
| 2821 | II | T1 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum | |
| 2821 | III | | No restriction | |
| 2822 | II | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum | |
| 2831 | III | | No restriction | |
| 2839 | II | | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum | |
| 2849 | III | | T5 | No restriction |
| 2853 | | | | |
| 2854 | | | | |
| 2855 | | | | |
| 2856 | | | | |
| 2859 | II | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum | | |
| 2861 | III | No restriction | | |
| 2862 | II | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum | | |
| 2863 | III | No restriction | | |
| 2864 | | No restriction | | |
| 2871 | III | No restriction | | |
| 2872 | II | T1 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum | |
| 2872 | III | | No restriction | |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 6.1: Toxic substances

Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction |
|-----------|----------------|---------------------|---|
| 2873 | III | T1 | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 2874 | | | No restriction |
| 2875 | | T2 | |
| 2876 | | | |
| 2902 | II | T6 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 2902 | III | | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 2931 | II | T5 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 2936 | | T1 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 2937 | No restriction | | |
| 2941 | III | | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 2942 | | | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 2946 | | | |
| 2948 | II | T6 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 2966 | | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 2992 | III | T6 | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 2992 | | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 2994 | II | T6 | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 2994 | III | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 2996 | II | T6 | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 2996 | III | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 6.1: Toxic substances

Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction |
|-----------|---------------|---------------------|---|
| 2998 | II | T6 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 2998 | III | | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 3006 | II | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 3006 | III | | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 3010 | II | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 3010 | III | | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 3012 | II | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 3012 | III | | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 3014 | II | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 3014 | III | | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 3016 | II | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 3016 | III | | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 3018 | II | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 6.1: Toxic substances

Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction |
|-----------|---------------|---------------------|---|
| 3018 | III | T6 | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 3020 | II | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 3020 | III | | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 3026 | II | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 3026 | III | | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 3027 | II | T7 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 3027 | III | | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 3140 | II | T1 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 3140 | III | T4 | No restriction |
| 3141 | | | |
| 3142 | II | T1 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 3142 | III | | No restriction |
| 3143 | II | T2 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 3143 | III | | No restriction |
| 3144 | II | T1 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 3144 | III | | No restriction |
| 3146 | II | T3 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 3146 | III | | No restriction |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 6.1: Toxic substances

Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction |
|-----------|---------------|---|---|
| 3155 | II | T2 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 3172 | | T1 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 3172 | III | | No restriction |
| 3243 | II | T9 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 3249 | | T2 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 3249 | | III | No restriction |
| 3276 | II | T1 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 3276 | III | | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 3278 | II | | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 3278 | III | | No restriction |
| 3284 | II | | T5 |
| 3284 | III | No restriction | |
| 3285 | II | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum | |
| 3285 | III | No restriction | |
| 3287 | II | T4 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 3287 | III | | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 3288 | II | T5 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 3288 | III | | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 6.1: Toxic substances

Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction |
|-----------|---------------|---------------------|---|
| 3293 | III | T4 | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 3302 | II | T1 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 3345 | | T7 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 3345 | III | | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 3348 | II | T6 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 3348 | III | | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 3349 | II | T7 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 3349 | III | | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 3352 | II | T6 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 3352 | III | | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 3409 | II | T1 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 3410 | III | | No restriction |
| 3411 | II | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 3411 | III | | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 6.1: Toxic substances

Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction |
|-----------|---------------|---------------------|---|
| 3415 | III | T4 | No restriction |
| 3416 | II | T1 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 3417 | | T2 | |
| 3418 | III | T1 | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 3422 | | T4 | No restriction |
| 3424 | II | T1 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 3424 | III | | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 3426 | | No restriction | |
| 3427 | | T2 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 3428 | II | | No restriction |
| 3429 | III | T1 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 3430 | II | | T2 |
| 3431 | | III | T1 |
| 3434 | III | T2 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 3436 | II | | No restriction |
| 3437 | III | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 3438 | III | T2 | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 3439 | II | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 3439 | III | T2 | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 3441 | II | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 3442 | | | |
| 3443 | | | |
| 3444 | | | |
| 3445 | | | |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 6.1: Toxic substances

Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction |
|-----------|---------------|---------------------|---|
| 3446 | II | T2 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 3447 | | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 3448 | | | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 3451 | | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 3452 | | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 3454 | | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 3457 | | | No restriction |
| 3458 | III | | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 3459 | | | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 3460 | | | Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded |
| 3462 | II | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 3462 | III | | No restriction |
| 3464 | II | | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 3464 | III | | No restriction |
| 3546 | n/a | T10 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 6.2: Infectious substances

Substances and articles of Class 6.2 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight, except goods with the Classification code I3 when packed in refrigerated liquid nitrogen (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction |
|-----------|---------------|---------------------|----------------|
| 3291 | n/a | I3 | No restriction |
| 3373 | | I4 | |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 7: Radioactive materials

The carriage of Radioactive Materials of Class 7 (listed below) is only authorised through Eurotunnel Freight with Eurotunnel’s prior agreement.

Substances and articles of Class 7 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

Class 7 and Class 1 commodities cannot be transported together in the same transport unit.

For more information regarding both the restrictions on the carriage of Radioactive Materials and the procedure for gaining authorisation for transit via Eurotunnel Freight, please refer to section V of this guide (Eurotunnel contact details).

| UN Number | Packing Group | Classification Code | Restriction |
|-----------|---------------|---------------------|--|
| 2908 | n/a | n/a | No restriction on this type of product. |
| 2909 | | | |
| 2910 | | | |
| 2911 | | | |
| 2912 | | | Restricted solely to non combustible solids of new manufactured goods in their original packaging. |
| 2913 | | | Restricted to manufactured products only |
| 2915 | | | Restricted solely to non combustible solids of new manufactured goods in their original packaging. |
| 3321 | | | Limited to packages of which the total active quantity expressed in A2 is less than 1. |
| 3322 | | | |
| 3332 | | | |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 8: Corrosive substances

Substances and articles of Class 8 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction | |
|-----------|---------------|---|---|---|
| 1716 | II | C3 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum | |
| 1718 | III | | No restriction | |
| 1719 | II | | | |
| 1719 | III | | | |
| 1725 | II | C2 | | |
| 1726 | | C3 | | |
| 1728 | | C4 | | |
| 1729 | | C1 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum | |
| 1730 | | | | |
| 1731 | | III | | No restriction |
| 1733 | II | C2 | | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 1736 | | C3 | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 1742 | | | | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 1743 | | | | |
| 1753 | | | C1 | No restriction |
| 1755 | | III | | No restriction |
| 1757 | II | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum | | |
| 1757 | III | No restriction | | |
| 1759 | II | C10 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum | |
| 1759 | III | | No restriction | |
| 1760 | II | C9 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum | |
| 1760 | III | | No restriction | |
| 1762 | II | C3 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum | |
| 1763 | | | | |
| 1764 | | | | |
| 1765 | | | | |
| 1766 | | | | |
| 1768 | | C1 | | |
| 1769 | | C3 | | |
| 1770 | | C10 | | |
| 1771 | | C3 | | |
| 1773 | III | C2 | No restriction | |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 8: Corrosive substances

Substances and articles of Class 8 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction | |
|-----------|---------------|---------------------|---|---|
| 1774 | II | C11 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum | |
| 1775 | | C1 | | |
| 1776 | | | | |
| 1778 | | | | |
| 1780 | | | | |
| 1781 | | | | |
| 1782 | | | | C1 |
| 1783 | III | C7 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum | |
| 1783 | | | | |
| 1784 | II | C3 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum | |
| 1787 | | | | |
| 1787 | | | | III |
| 1788 | II | C1 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum | |
| 1788 | III | | No restriction | |
| 1789 | II | | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum | |
| 1789 | III | | No restriction | |
| 1791 | II | | C9 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 1791 | III | No restriction | | |
| 1792 | II | C2 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum | |
| 1793 | III | C3 | No restriction | |
| 1799 | II | | C3 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 1800 | | | | |
| 1801 | | | | |
| 1803 | | | | |
| 1804 | | | | |
| 1805 | | | | |
| 1806 | II | C2 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum | |
| 1807 | | | | |
| 1808 | | | | |
| 1813 | | C6 | No restriction | |
| 1814 | | | | |
| 1814 | | | | III |
| 1817 | | II | C1 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 8: Corrosive substances

Substances and articles of Class 8 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction | |
|-----------|---------------|---------------------|---|---|
| 1818 | II | C1 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum | |
| 1819 | | C5 | No restriction | |
| 1819 | III | C6 | | |
| 1823 | II | C5 | | |
| 1824 | | III | | C6 |
| 1825 | II | C1 | | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 1827 | | C7 | | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 1835 | | III | | C1 |
| 1835 | II | C4 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum | |
| 1837 | | C1 | No restriction | |
| 1839 | III | C6 | | |
| 1840 | II | C3 | | |
| 1847 | II | C3 | | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 1848 | | C6 | | No restriction |
| 1849 | III | C6 | | |
| 1898 | II | C3 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum | |
| 1902 | III | | No restriction | |
| 1903 | II | C9 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum | |
| 1903 | III | C6 | No restriction | |
| 1907 | | | | |
| 1908 | II | C9 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum | |
| 1908 | III | | No restriction | |
| 1938 | II | C3 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum | |
| 1938 | III | | No restriction | |
| 1939 | II | C2 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum | |
| 1940 | | C3 | | |
| 2028 | | C11 | | |
| 2033 | | C6 | No restriction | |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 8: Corrosive substances

Substances and articles of Class 8 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction |
|-----------|---------------|---------------------|---|
| 2079 | II | C7 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 2209 | III | C9 | No restriction |
| 2214 | | C4 | |
| 2215 | | C3 | |
| 2215 | | C4 | |
| 2225 | | C3 | |
| 2226 | II | C9 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 2259 | II | C7 | Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 2262 | | C3 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 2269 | III | C7 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 2280 | | C8 | Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 2289 | | C7 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 2305 | II | C4 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 2320 | III | C7 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 2326 | | | |
| 2327 | | | |
| 2331 | | C2 | No restriction |
| 2430 | II | C4 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 2430 | III | | No restriction |
| 2434 | II | C3 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 2435 | | | |
| 2437 | | | |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 8: Corrosive substances

Substances and articles of Class 8 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction |
|-----------|---------------|---------------------|---|
| 2440 | III | C2 | No restriction |
| 2442 | II | C3 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 2443 | | C1 | |
| 2475 | III | C2 | No restriction |
| 2491 | | C7 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 2496 | | C3 | No restriction |
| 2503 | | | |
| 2506 | II | C2 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 2507 | III | | No restriction |
| 2508 | | | |
| 2509 | II | | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 2511 | III | C3 | No restriction |
| 2513 | II | | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 2531 | | | No restriction |
| 2564 | | | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 2564 | III | | No restriction |
| 2565 | | | C7 |
| 2571 | II | C3 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 2577 | | | |
| 2578 | III | C2 | No restriction |
| 2579 | | C8 | Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 2580 | | C1 | No restriction |
| 2581 | | | |
| 2582 | | | |
| 2585 | C4 | | |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 8: Corrosive substances

Substances and articles of Class 8 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction | |
|-----------|---------------|---------------------|---|----------------|
| 2586 | III | C3 | No restriction | |
| 2670 | II | C4 | Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum | |
| 2672 | III | C5 | No restriction | |
| 2677 | II | | | |
| 2677 | III | | | |
| 2678 | II | | | C6 |
| 2679 | | | | C5 |
| 2679 | III | | | |
| 2680 | II | | | C6 |
| 2681 | | | | C5 |
| 2681 | III | | | |
| 2682 | | | | C6 |
| 2691 | II | C2 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum | |
| 2693 | III | C1 | No restriction | |
| 2698 | | C4 | | |
| 2705 | II | C9 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum | |
| 2735 | | C7 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum | |
| 2735 | III | | No restriction | |
| 2739 | | | No restriction | |
| 2751 | II | C3 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum | |
| 2790 | | | | |
| 2790 | III | | No restriction | |
| 2794* | n/a | C11 | | |
| 2795 | | | | |
| 2797 | II | C5 | | |
| 2798 | | C3 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum | |
| 2799 | | | | |
| 2800 | n/a | C11 | No restriction | |
| 2801 | II | C9 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum | |
| 2801 | III | | | No restriction |
| 2802 | | C2 | | |
| 2803 | | C10 | | |

* Wet acid batteries of UN 2794 transported as waste are prohibited unless transported under Special Provision 598

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 8: Corrosive substances

Substances and articles of Class 8 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction |
|-----------|---------------|---------------------|---|
| 2819 | III | C3 | No restriction |
| 2820 | | C4 | |
| 2823 | | C3 | |
| 2829 | | C2 | |
| 2834 | | C1 | |
| 2837 | | | |
| 2865 | | | |
| 2869 | II | C2 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 2869 | III | C9 | No restriction |
| 2904 | | C10 | |
| 2905 | | | |
| 2949 | II | C6 | |
| 2967 | III | C2 | |
| 2987 | II | C3 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 3028 | n/a | C11 | No restriction |
| 3055 | III | C7 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 3066 | II | C9 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 3066 | III | | No restriction |
| 3145 | II | C3 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 3145 | III | | No restriction |
| 3147 | II | C10 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 3147 | III | | No restriction |
| 3244 | II | | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 3253 | III | C6 | No restriction |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 8: Corrosive substances

Substances and articles of Class 8 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction |
|-----------|---------------|---------------------|---|
| 3259 | II | C8 | Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 3259 | III | C8 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 3260 | II | C2 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 3260 | III | | No restriction |
| 3261 | II | C4 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 3261 | III | | C6 |
| 3262 | II | | |
| 3262 | III | | |
| 3263 | II | C8 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 3263 | III | | No restriction |
| 3264 | II | C1 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 3264 | III | | No restriction |
| 3265 | II | C3 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 3265 | III | | C5 |
| 3266 | II | | |
| 3266 | III | | |
| 3267 | II | C7 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 3267 | III | | C5 |
| 3320 | II | | |
| 3320 | III | | |
| 3412 | II | C3 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 3412 | III | | No restriction |
| 3419 | II | C4 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 3420 | | | |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR – Class 8: Corrosive substances

Substances and articles of Class 8 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction |
|-----------|---------------|---------------------|---|
| 3423 | II | C8 | Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum |
| 3425 | | C4 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 3453 | III | C2 | No restriction |
| 3472 | | C3 | |
| 3498 | II | C1 | No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum |
| 3547 | n/a | C11 | No restriction |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

ADR - Class 9: Miscellaneous dangerous substances and articles

Substances and articles of Class 9 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight, except goods with the Classification Code M8 when packed in refrigerated liquid nitrogen (see section III of this guide).

| UN Number | Packing Group | Classification Code | Restriction | |
|-----------|---------------|---------------------|---|----------------|
| 1931 | III | M11 | No restriction | |
| 1941 | | | | |
| 1990 | | | | |
| 2071 | n/a | | | |
| 2211 | III | M3 | | |
| 2969 | II | M11 | | |
| 2990 | n/a | M5 | | |
| 3072 | | | | |
| 3077 | III | M7 | | |
| 3082 | | M6 | | |
| 3090 | n/a | M4 | Maximum of 500kg per transport unit and transport must be in unit packages of 100kg maximum | |
| 3091 | | M11 | No restriction | |
| 3166 | | | | |
| 3171 | | | | |
| 3245 | | | | |
| 3257 | | III | | M9 |
| 3258 | | | | M10 |
| 3268 | | n/a | | M5 |
| 3314 | III | M3 | | |
| 3316 | n/a | M11 | Maximum of 500kg per transport unit and transport must be in unit packages of 100kg maximum | |
| 3363 | | M4 | | |
| 3480 | | | M11 | No restriction |
| 3481 | | | | |
| 3499 | | | | |
| 3508 | | | | |
| 3509 | | | | |
| 3530 | | | | |
| 3536 | | M4 | Maximum of 500kg per transport unit and transport must be in unit packages of 100kg maximum | |
| 3548 | | M11 | No restriction | |

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight (see section III of this guide)

IV - What to do on arrival at the Freight Terminal

All dangerous goods accompanied with paperwork must be declared at Check-in *unless transporting in Limited or Excepted Quantities.

1 – Before arrival:

Prior to your vehicle's arrival it is your responsibility to ensure that your Driver has a full ADR declaration (see point 4).

2 - On arrival at the Eurotunnel Freight Terminals in the UK and in France:

Please ensure that your Driver is aware that he needs to make a dangerous goods declaration upon arrival at Check-in. He will then be re-directed to the Freight Driver Information Centre.

3 – On arrival at the Freight Driver Information Centre (FDIC):

Your Driver must park in one of the spaces next to the Freight Driver Information Centre and report to the Customer Service Agent inside the building.

4 – Documentation required:

Your driver must give the Customer Service Agent the paperwork (preferably in either English or French), which must include the following information, specifically for the registration of goods by Eurotunnel Freight.

- UN number
- Current ADR references (Class, Packing Group, & Classification Code, if required)
- Proper Shipping Name of goods carried (including their volume or weight)
- Details of packaging (number and description)
- Quantity (net / gross mass as appropriate)

You are encouraged to make sure that the information required is in your Driver's possession. Non declaration or incorrect paperwork can cause delays or rejection from our Terminals.

5 – Checks:

The Customer Service Agent will check the paperwork against Eurotunnel's dangerous goods policy. An external check of the vehicle will be carried out and a copy of the dangerous goods paperwork will be taken.

Note – This examination has no bearing on possible Police or Customs examinations, which may take place before departure.

6 – Identification:

Once authorised, the Driver will be issued with a sticker showing a Eurotunnel reference, which must be visible on the windscreen.

This sticker identifies the vehicle as carrying dangerous goods and it must not be removed until the end of the journey with Eurotunnel.

7 – Journey through the system:

Your Driver can return to his vehicle and follow the normal route through the Terminal.

If you wish to order more copies of this guide, please refer to section V.

V – Eurotunnel contact details

For further information on Eurotunnel Freight's dangerous goods policy, please contact:

Eurotunnel Freight Commercial Department
UK Terminal
Ashford Road
Folkestone
Kent CT18 8XX
United Kingdom

Tel + 44 (0) 1303 282 244
Email freight@eurotunnel.com

Eurotunnel
Service Commercial Fret
Siège d'Exploitation
B.P. 69
62904 Coquelles Cedex
France

Tél + 33 (0) 3 21 00 64 65
Email freight@eurotunnel.com